

Notice of Allowability	Application No.	Applicant(s)	
	10/072,383	KULAS, CHARLES J.	
	Examiner	Art Unit	
	Nitin Patel	2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 3/3/2006.
2. ☒ The allowed claim(s) is/are 1-8,21-28 Now renumbered 1-16 respectively.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Continued Prosecution Application

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/3/2006 has been entered.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Charles J. Kulas on 05/10/2006.

3. The application has been amended as follows:

Claim 8 has been replaced with following amended claim 8.

A method for using multiple disconnected display screens in a computer generated presentation, the method comprising:

indicating to a human user preferred three-dimensional positions for two or more display screens;

rendering views for the two or more display screens in accordance with the preferred three-dimensional positions; and

accepting signals from a user input device to modify a preferred three-dimensional position of at least one of the two or more display screens.

Claim 18 has been cancelled.

REASON FOR ALLOWANCE

4. Claims 1-8, 21-28 is allowed. Claims 9-20 have been cancelled.

5. The following is an examiner's statement of reason for allowance:

The prior art fails to teach or suggest a method for generating display information, the method comprising the following steps performed by one or more digital processors determining three-dimensional positions in space of multiple display screens; and generating display information for the display screens by using the determined three-dimensional positions so that different portions of a single scene are displayed upon multiple display screens at the same time to provide a coherent view of the scene from at least one viewpoint as claimed in claim 1.

The prior art fails to teach or suggest a method for using multiple display screens in a presentation, the method comprising first sensing three-dimensional the positions of a plurality of display screens at a first time; providing the first sensed three-dimensional positions to a digital processor for rendering views for the plurality of display screens in accordance with the first sensed three-dimensional positions; sensing three-dimensional

Art Unit: 2629

positions of the plurality of display screens at a second time; and providing the second sensed three-dimensional positions to a digital processor for rendering views for the plurality of display screens in accordance with the second sensed three-dimensional positions as claimed in claim 5.

The prior art fails to teach or suggest a method for using multiple disconnected display screens in a computer generated presentation, the method comprising:

_____ indicating to a human user preferred three-dimensional positions for two or more display screens;

_____ rendering views for the two or more display screens in accordance with the preferred three-dimensional positions; and

_____ accepting signals from a user input device to modify a preferred three-dimensional position of at least one of the two or more display screens as claimed in claim 8.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nitin Patel whose telephone number is 571-272-7677. The examiner can normally be reached on 8:00-5:00.


Art Unit: 2629

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin H. Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

NP

May 12, 2006



BIPIN SHALWALA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600